



CHANNELS PROFILÉS EN U



SECTION NO. N° DE SECTION	DIMENSION IN MM		DIMENSIONS EN MM	WEIGHT KG/M POUNDS KG/M	FACTOR FACTEUR	DIMENSIONS IN INCHES/POUCES		
	A	B	T			A	B	T
746	9.53	9.53	1.57	0.104	513	0.375	0.375	0.062
3264	12.7	12.7	1.57	0.149	496	0.500	0.500	0.062
19186	14.14	19.05	1.57	0.211	496	0.557	0.750	0.062
983	16.04	15.87	1.27	0.156	636	0.631	0.625	0.050
19677	16.04	25.4	1.27	0.222	546	0.631	1.000	0.050
3268	19.05	19.05	1.57	0.232	479	0.750	0.750	0.062
3283	19.05	12.7	3.18	0.331	257	0.750	0.500	0.125
3287	19.05	19.05	2.36	0.337	325	0.750	0.750	0.093
4039	19.05	19.05	3.18	0.44	239	0.750	0.750	0.125
19686	20.32	34.8	1.5	0.354	488	0.800	1.370	0.059
982	22.3	15.9	1.65	0.128	502	0.878	0.626	0.065
3272	25.4	25.4	3.18	0.605	239	1.000	1.000	0.125
3284	25.4	19.05	3.18	0.496	239	1.000	0.750	0.125
3298	25.4	19.05	2.38	0.38	317	1.000	0.750	0.094
3547	31.75	31.75	3.18	0.781	231	1.250	1.250	0.125
3262	38.1	25.4	3.18	0.741	239	1.500	1.000	0.125
3299	38.1	19.05	3.18	0.605	225	1.500	0.750	0.125
4083	38.1	15.88	1.27	0.231	599	1.500	0.625	0.050
3275	50.8	25.4	3.18	0.824	239	2.000	1.000	0.125
3291	63.5	41.28	6.35	2.308	120	2.500	1.625	0.250
19608	63.5	38.1	3.175	0.824	246	2.500	1.500	0.125
3266	76.2	38.1	9.53	3.46	86	3.000	1.500	0.375
15903	76.2	38.1	6.35	1.204	137	3.000	1.500	0.250
3279	101.6	50.8	3.05	1.639	239	4.000	2.000	0.120

EQUAL LEG ANGLES

CONRNIÈRES À ÉGALES




SECTION NO. N° DE SECTION	DIMENSION IN MM		WEIGHT KG/M POIDS KG/M	FACTOR FACTEUR	DIMENSIONS IN INCHES/POUCES	
	A	T			A	T
705	12.7	1.57	0.103	513	0.500	0.062
3157	12.7	3.18	0.192	274	0.500	0.125
3176	12.7	2.38	0.149	-	0.500	0.094
3151	15.88	1.57	0.131	479	0.625	0.062
707	19.05	1.57	0.156	496	0.750	0.062
3153	19.05	3.18	0.302	257	0.750	0.125
3177	19.05	2.39	0.231	-	0.750	0.094
3169	20.62	1.57	0.17	496	0.812	0.062
709	25.4	1.57	0.212	496	1.000	0.062
3154	25.4	3.18	0.413	239	1.000	0.125
4067	31.75	2.39	0.393	325	1.250	0.094
3161	31.75	3.18	0.522	291	1.250	0.125
3168	38.1	4.75	0.924	171	1.500	0.187
*3171	38.1	6.35	1.232	120	1.500	0.250
9354	38.1	3.05	0.606	257	1.500	0.120
1044	50.8	3.05	0.82	239	2.000	0.120
3165	50.8	6.35	1.646	120	2.000	0.250
3172	50.8	12.7	3.077	68	2.000	0.500
3549	50.8	4.76	1.256	161	2.000	0.187
3166	63.5	6.35	2.086	137	2.500	0.250
3155	76.2	6.35	2.529	120	3.000	0.250
3167	76.2	12.7	-	-	3.000	0.500
3174	76.2	9.53	3.711	82	3.000	0.500
19945	38.1	1.57	0.32	476	1.500	0.062
20887	101.6	12.7	6.593	62	4.000	0.500

*INDICATES ROUND FILLETS

*INDIQUE DES FILETS ARRONDIS

Dajcor Aluminum


HALF OVALS DEMI-OVALES



SECTION NO. N° DE SECTION	DIM. A DIMENSIONS A	WEIGHT KG/M POINDS KG/M	FACTOR FACTEUR	DIMENSIONS IN INCHES
764	19.05	0.173	239	0.750

Dajcor Aluminum

RECTANGULAR BARS BARRES RECTANGULAIRES




SECTION NO.	DIMENSIONS IN MM		DIMENSIONS IN INCHES/POUCES		R1	WEIGHT KG/M
No. De SECTION	A	T	A	T		POIDS KG/M
3146	9.53	3.18	0.38	0.130	0.38	0.130
3307	9.53	3.96	0.38	0.160	0.38	0.160
712	12.70	2.36	0.50	0.090	0.50	0.090
*3304	12.70	3.18	0.50	0.130	0.50	0.130
7003	12.70	3.18	0.50	0.130	0.38	0.110
3042	12.70	9.53	0.50	0.380	0.50	0.380
3024	15.88	3.18	0.63	0.130	0.63	0.125
713	19.05	2.36	0.75	0.090	0.75	0.093
*3302	19.05	3.18	0.75	0.130	0.75	0.125
3016	19.05	3.18	0.75	0.130	0.75	0.125
3150	19.05	4.75	0.75	0.190	0.75	0.187
3001	19.05	12.70	0.75	0.500	0.75	0.500
3017	22.23	3.18	0.88	0.130	0.88	0.125
714	25.40	2.36	1.00	0.009	1.00	0.093
3019	25.40	3.18	1.00	0.130	1.00	0.125
3308	38.10	3.18	1.50	0.130	-	0.331
3034	38.10	6.35	1.50	0.250	-	0.660
3002	38.10	9.53	1.50	0.380	-	0.988
3127	38.10	12.70	1.50	0.500	-	1.319
3139	38.10	19.05	1.50	0.750	-	1.979
3023	50.80	25.40	2.00	1.000	-	3.516
3015	50.80	6.35	2.00	0.250	-	0.879
3037	76.20	6.35	3.00	0.250	-	1.319
3134	44.45	2.54	1.75	0.100	1.75	0.100
3010	50.80	4.75	2.00	0.187	-	0.659
3046	50.80	9.53	2.00	0.375	-	1.319
3143	50.80	1.60	2.00	0.063	-	0.221
3147	50.80	3.96	2.00	0.156	-	0.548
4171	50.80	3.18	2.00	0.125	-	0.440
10279	63.18	9.65	2.49	0.380	-	1.662
3036	63.50	6.35	2.50	0.250	-	1.097
3003	76.20	4.75	3.00	0.187	-	0.983
3021	76.20	19.05	3.00	0.750	-	3.963
3144	76.20	38.10	3.00	1.500	3.00	1.500
7446	101.60	25.40	4.00	1.000	-	7.033
20126	101.60	3.18	4.00	0.125	-	0.878
18387	110.00	3.00	4.33	0.118	0.38	0.899

8002	120.65	3.25	4.75	0.128	4.75	0.128
3022	152.40	6.35	6.00	0.250	6.00	0.250
7447	168.28	25.40	6.63	1.000	-	11.648
3673	19.05	6.35	0.75	0.250	-	0.329
3674	25.40	7.94	1.00	0.313	-	0.549
3666	50.80	6.35	2.00	0.250	-	0.879
24212	101.60	1.65	4.00	0.065	-	0.457
20886	101.60	12.70	4.00	0.500	-	3.516
20125	88.90	3.18	3.50	0.125	-	0.768
7446	101.60	25.40	4.00	1.000	-	7.033
7447	168.28	25.40	6.63	1.000	-	11.648

Dajcor Aluminum


RECTANGULAR TUBING



SECTION NO.	DIMENSION IN MM			WEIGHT KG/M	DIMENSIONS IN INCHES/POUCES		
No. De SECTION	A	B	T	POIDS KG/M	A	B	T
3465	38.1	25.4	2.41	0.772	1.500	1.000	0.095
3424	50.8	25.4	1.65	0.651	2.000	1.000	0.065
3481	50.8	25.4	2.41	0.939	2.000	1.000	0.095
3418	50.8	38.1	3.05	1.376	2.000	1.500	0.120
8760	51.31	19.3	1.52	0.560	2.020	0.760	0.060
3660	76.2	25.4	1.57	0.844	3.000	1.000	0.062
23858	76.2	38.1	3.18	1.867	3	1.5	0.125
3483	76.2	50.8	3.05	2.006	3.000	2.000	0.120
23577	101.6	19.05	3.18	1.978	4	0.75	0.125
3477	101.6	25.4	3.05	2.009	4.000	1.000	0.120
3479	101.6	38.1	3.05	2.223	4.000	1.500	0.120
3428	101.6	44.45	3.05	2.324	4.000	1.750	0.120
3487	101.6	44.45	2.41	1.857	4.000	1.750	0.095
3427	101.6	50.8	3.05	2.430	4.000	2.000	0.120
30724	76.2	50.8	4.78	3.056	3.000	2.000	0.188
30728	203.2	76.2	6.35	9.230	8.000	3.000	0.250
3437	114.3	50.8	4.75	4.023	4.500	2.000	0.187
3527	127	50.8	3.18	2.967	5	2	0.125
29956	152.4	101.6	3.2	4.318	6.000	4.000	0.126

Dajcor Aluminum


ROUND ROD



SECTION NO.	DIA. (MM)	WEIGHT KG/M	FACTOR	DIA (INCHES)
980	42.93	3.944	34	1.690
3230	6.35	0.086	222	0.250
3248	7.92	0.134	188	0.312
8920	10.00	0.214	147	0.394
15848	12.70	0.345	116	0.500
3540	15.88	0.539	93	0.625
3236	25.40	1.381	51	1.000
3235	22.23	1.056	68	0.875
3052	27.08	1.053	54	1.066
3245	43.66	4.075	34	1.719

Dajcor Aluminum


ROUND TUBING



SECTION NO.	DIA. (MM)	THICKNESS (MM)	WEIGHT KG/M	DIA (INCH)	THICKNESS in INCHES
724	7.92	1.65	0.089	0.312	0.065
3397	11.05	1.27	0.107	0.435	0.050
725	12.7	1.65	0.156	0.500	0.065
3398	12.7	1.24	0.122	0.500	0.049
3387	15.88	1.24	0.156	0.625	0.049
3399	15.88	1.47	0.182	0.625	0.058
726	19.05	1.65	0.249	0.750	0.065
3378	19.05	1.24	0.191	0.750	0.049
3385	19.05	1.42	0.215	0.750	0.056
19958	22.22	1.65	0.291	0.875	0.065
3383	22.23	1.45	0.261	0.875	0.057
3384	22.23	1.24	0.225	0.875	0.049
3391	22.99	3.3	0.557	0.905	0.130
727	25.4	1.65	0.334	1.000	0.065
3371	25.4	2.38	0.469	1.000	0.094
3375	25.4	1.24	0.256	1.000	0.049
3386	25.4	1.98	0.399	1.000	0.078
23164	25.4	1.47	0.302	1.000	0.058
3392	27.43	3.94	0.791	1.080	0.155
3393	28.32	2.79	0.609	1.115	0.110
20175	31.5	1.58	0.405	1.240	0.062
3396	31.75	2.41	0.606	1.250	0.095
3400	31.75	1.27	0.332	1.250	0.050
21106	31.75	3.05	0.749	1.250	0.120
728	38.1	1.65	0.514	1.500	0.065
3389	38.1	1.24	0.392	1.500	0.049
3390	50.8	1.57	0.665	2.000	0.062
19637	50.8	3.18	1.294	2.000	0.125
19666	15.88	1.65	0.201	0.625	0.065
20351	25.4	1.19	0.256	1.000	0.049
20154	44.45	1.90	0.694	1.750	0.075
23125	63.5	2.00	1.053	2.500	0.079

Dajcor Aluminum

SCHEDULE 40 PIPE



Stated	Actual	Die #	Wall	Pounds
1/2	0.840	3805	0.109	0.293
3/4	1.050	3804	0.113	0.391
2	2.375	3800	0.154	1.269
1	1.315	3803	0.133	0.581
1 1/4	1.660	3802	0.14	0.786
1 1/2	1.900	3801	0.145	0.94
3	3.500	3807	0.216	2.63

Schedule 80 Pipe

Stated	Actual	Die #	Wall	Pounds
1-1/4	1.660	3553	0.19	1.04


Dajcor Aluminum

SQUARE BARS



SECTION NO. No. De SECTION	DIMENSIONS IN MM	WEIGHT KG/M POIDS KG/M	DIMENSIONS IN INCHES/POUCES
	A		A
3113	12.7	0.439	0.500
3106	19.05	0.991	0.750


SQUARE TUBING



SECTION NO. No. De SECTION	DIMENSIONS IN MM				WEIGHT KG/M POIDS KG/M	DIMENSIONS IN INCHES/POUCES	
	A	T	R1	R2		A	T
722	25.4	1.24	3.96	2.72	0.316	1.000	0.049
3402	12.7	1.57			0.192	0.500	0.062
3413	12.7	1.24			0.155	0.500	0.049
3403	19.05	1.57			0.302	0.750	0.062
20537	19.05	1.397	-	-	0.269	0.750	0.055
3404	25.4	2.39			0.599	1.000	0.094
3416	25.4	1.57	-	-	0.410	1.000	0.062
3419	25.4	1.27	-	-	0.337	1.000	0.050
3420	25.4	1.65	1.57	0.76	0.423	1.000	0.065
3510	25.4	3.05	3.18	0.38	0.719	1.000	0.120
3511	19.05	1.65			0.304	0.750	0.065
3520	25.4	2.29	3.18	1.59	0.557	1.000	0.090
3541	25.4	1.58	2.36	0.79	0.399	1.000	0.062
3405	31.75	1.27	-	-	0.413	1.250	0.050
4300	31.75	2.29			0.734	1.250	0.090
20319	31.75	1.65	3.18	1.52	0.523	1.250	0.065
3406	38.1	2.39	-	-	0.930	1.500	0.094
3407	38.1	1.27	-	-	0.510	1.500	0.050
3412	38.1	1.91	-	-	0.752	1.500	0.075
3425	38.1	2.38			0.927	1.500	0.094
3519	25.4	1.65	3.96	2.31	0.404	1.000	0.065
23012	38.1	2.95	-	-	1.130	1.500	0.116
3521	41.28	4.78	4.78	1.59	1.852	1.625	0.188
3408	50.8	3.05	-	-	1.585	2.000	0.120
3417	50.8	2.29	-	-	1.209	2.000	0.090
3514	50.8	3.18	5.00	1.82	1.600	2.000	0.125
3522	63.5	6.35	4.78	1.59	3.908	2.500	0.250
3523	76.2	4.78	4.78	1.57	3.672	3.000	0.188
3679	50.8	4.76	4.76	0.51	2.338	2.000	0.188
30723	76.2	4.78			3.721	3.000	0.188
30722	50.8	3.18			1.678	2.000	0.125
23467	100.24	3.065			3.244	3.946	0.121


Dajcor Aluminum

STREET SIGNS PLAQUES INDICATRICES DE RUE



SECTION NO. N° DE SECTION	WEIGHT KG/M POINDS KG/M	FACTOR FACTEUR	MM PÉRIMÈTRE
5311	1.368	239	325.704

TEE SECTIONS PROFILÉS EN T




SECTION NO. N° DE SECTION	DIMENSION IN MM		DIMENSIONS EN MM	KG/M POINDS	FACTOR FACTEUR	DIMENSIONS IN INCHES		
	A	B				A	B	T
4048	19.05	25.4	3.18	0.358	239	0.750	1.000	0.125
3602	25.4	25.4	3.18	0.411	257	1.000	1.000	0.125

Dajcor Aluminum







UNEQUAL LEG ANGLES


CORNIÈRES À INÉGALES



DIE NO.	DIM. "A"	DIM. "B"	T1	T2	R1	R2	R3	KG/M
3175	127.00	76.20	9.53	9.53		9.53	9.53	4.982
3200	38.10	25.40	6.35	6.35				0.989
3208	25.40	12.70	3.18	3.18				0.302
3213	50.80	25.40	3.18	3.18				0.632
3216	63.50	38.10	6.35	6.35				1.648
3220	76.20	50.80	3.18	3.18				1.072
3221	76.20	50.80	6.35	6.35				2.086
3223	101.60	50.80	3.18	3.18				1.291
3528	38.10	19.05	3.18	3.18				0.467
3542	25.40	19.05	1.57	1.57				0.184
3554	38.10	25.40						0.522
3701	50.80	25.40	4.75	4.75				0.621
7162	50.80	38.10	2.54	2.54				0.597
7781	70.00	33.00	2.00	2.00		14.00		0.657
7800	68.00	25.00	1.98	1.98		13.00	1.19	0.600
8732	63.5	38.1	4.76	4.76				1.257
8733	58.74	38.1	4.76	4.76				1.195
9430	48.26	22.22	1.27	1.27				0.241
18159	130.05	25.4	4.06	4.06		4.57		1.688
18163	82.55	38.1	3.18	3.18		4.76		1.030
18168	76.2	38.1	4.76	4.76		6.35	4.76	1.423
18169	25.40	19.05	2.38	2.38		3.18	2.38	0.273
18306	63.5	44.45	4.76	4.76		4.76	4.76	1.328
18316	79.38	50.8	4.75	4.758		4.75	4.75	1.609
18322	76.2	38.1	4.76	4.76		6.35		1.418
18323	76.2	63.5	2.54	2.54		3.18		0.948
18330	50.80	31.75	4.76	4.76		4.76	3.18	1.017
18333	63.5	25.4	3.25	3.25	1.52	1.52		0.760
18334	50.80	31.75	3.18	3.18		4.76	3.18	0.682
18364	38.10	19.05	3.18	3.18		3.18		0.473
18366	35.05	17.78	3.05	3.05		6.35	9.53	0.413
18430	30.48	20.32	2.54	2.54	7.62	5.08		0.316
18443	79.85	60.44	7.94	6.35	5.00	2.50	2.50	2.612
18579	103.63	78.23	2.03	2.03	4.06	12.19		1.074
19858	50.80	22.22	6.35	4.76	3.18	1.50	3.18	1.066
20076	77.80	27.00	1.60	1.60				0.451
20082	103.20	27.10	1.60	1.60				0.590
20124	50.80	28.40	3.00	3.00				0.623
20416	64.00	25.00	1.98	1.98		13.00	0.99	0.272
23477	34.30	20.50	3.00	4.66		3.00		0.523
23959	70.99	25.40	4.75	4.75		3.96		1.197

HAND RAIL COMPONENTS

SECTION NO. N° DE SECTION	DIMENSION IN MM	DIMENSIONS EN MM	WEIGHT KG/M POINDS KG/M	
	A	B		
29344	3.000	3.000	1.587	
29343	5.375	3.633	3.060	
29342	1.0	0.75	0.323	
29341	1.150	0.300	0.189	
29340	1.250	0.367	0.172	
29339	2.000	2.890	1.120	

29338	1.430	2.890	1.012	
29324	7.25	1.250	1.563	